



# ORDER FORM COVERSHEET

1208 Houston Clinton Dr., Burnet, Texas 78611  
(512) 715-0808 | Toll-Free: (833) 715-0810 | Fax: (512) 715-0811

**ORDERS@GIBALTARGLOBAL.COM**

**ALL ORDERS MUST HAVE A COMPLETED COVER SHEET TO PROCESS WITHOUT ANY DELAYS**

**\*\*PLEASE ALLOW 3-5 BUSINESS DAYS TO PROCESS ORDERS PLUS SHIPPING/TRANSIT TIME \*\***

<b>DATE:</b>	PLEASE CHECK ALL APPLICABLE BOXES	<b>QUOTE NEEDED FOR:</b>	<b>MATERIALS</b>	<b>FREIGHT</b>
<b>COMPANY NAME:</b>				
<b>CONTACT NAME:</b>				
<b>PHONE NUMBER:</b>				
<b>FAX NUMBER:</b>				
<b>EMAIL:</b>				

\* PLEASE INCLUDE YOUR EMAIL ADDRESS SO WE CAN SEND YOU AN ORDER CONFIRMATION FOR APPROVAL PRIOR TO SHIPPING (BE SURE YOUR EMAIL ADDRESS IS LEGIBLE)

<b>PO NUMBER:</b>	<b>COUNTY &amp; STATE:</b>
-------------------	----------------------------

<b>SHIPPING ADDRESS:</b>	<b>BILLING ADDRESS:</b>

<b>SHIPPING CONTACT:</b>		<b>RECEIVING HOURS:</b>	
<b>SHIPPING PHONE:</b>		<b>RECEIVING HOURS:</b>	

\*\*\* PLEASE LIST ANY SPECIAL DELIVERY NEEDS BELOW ie. CALL AHEAD REQUIREMENTS, LIFT GATE REQUIRED, LIMITED ACCESS, RESIDENTIAL ADDRESS, ETC.\*\*\*

\*\*PLEASE NOTE THAT IF ANY PERTINENT INFORMATION FOR DELIVERY IS NOT LISTED IT COULD RESULT IN A REDELIVERY CHARGE OR FEE THAT WILL BE BILLED TO THE CUSTOMER DIRECTLY OR VIA GIBALTAR ONCE DISCOVERED\*\*

**Notes:**

FOR QUESTIONS REGARDING ORDERS PLEASE CONTACT JOHN JANSEN AT (512) 715-0808. JJANSEN@GIBALTARGLOBAL.COM

FOR TECHNICAL QUESTIONS CONTACT INFO@GIBALTARGLOBAL.COM

\*\*PRICES DO NOT INCLUDE SHIPPING & HANDLING CHARGES \*\*



**TO ORDER REPLACEMENT PARTS, CONTACT:**

Gibraltar Global LLC  
 1208 Houston Clinton DR  
 Burnet, TX 78611

Toll Free: (833) 715-0810 Office: (512) 715-0808  
 Email: [ORDERS@gibraltarglobal.com](mailto:ORDERS@gibraltarglobal.com) Fax: (512) 715-0811

**SYSTEM TYPE: TL-3 (3 Cable) System**

PART #	ITEM / DESCRIPTION	PRICE	UNIT	QUANTITY	EXTENDED AMT
3-HPIN	TL-3 Hairpin	\$	EA		
3-LOCK	TL-3 Lockplate	\$	EA		
U-LOCK	U-Bolt Lockplate Assembly (Consists of Lockplate and 3 U-bits)	\$	SET		
3-LNP-S	TL-3 Line Post / Socketed (48")	\$	EA		
3-LNP-D	TL-3 Line Post / Driven (75")	\$	EA		
AP-3	Anchor Post	\$	EA		
SOCK-S	30" Socket 4" x 3" -15" long W/ (4) 16" bars	\$	EA		
SOCK-P	4"x3"x15" Plastic Socket	\$	EA		
TUBE-PL	15" Tube Socket 4" x 3" with welded plate	\$	EA		
TUBE-D	42" Driven Socket 4" x 3" with Post Stop at 15"	\$	EA		
CRP -1"	Cable Release Post	\$	EA		
TKW	Terminal Keeper Wire (12-Ga.x 12" long)	\$	EA		
TP1	Terminal Post No.1/ Weak 48" (3-Hole)	\$	EA		
TP2	Terminal Post No.2/ Weak 48" (3-Hole)	\$	EA		
TP3/4-3	Terminal Post No.3 & No.4 / Standard 48" (3-Hole)	\$	EA		
J-BLT	J-Bolt (3/4")	\$	EA		
ATF	Anchor Terminal Fitting (3/4") Includes Turnbuckle	\$	EA		
ATF-End	Anchor Terminal Fitting End - 18" x 3/4" Rod with Acorn	\$	EA		
ATF 1" Milled	Anchor Terminal Fitting - 1" Milled to fit 3/4" gap in AP	\$	EA		
CSTB	Cable Splice Turnbuckle (3/4") Open Body	\$	EA		
ATF-1"	Anchor Terminal Fitting (1") Includes Turnbuckle	\$	EA		
ATF-End 1"	Anchor Terminal Fitting End 1 18" x 1" Rod and Acorn	\$	EA		
CSTB-1"	Cable Splice Turnbuckle (1") Open Body	\$	EA		
ATF-7/8"	Anchor Terminal Fitting (7/8") Includes Turnbuckle	\$	EA		
ATF-End 7/8"	Anchor Terminal Fitting End - 18" x 7/8" Rod and Acorn	\$	EA		
CSTB-7/8"	Cable Splice Turnbuckle (7/8")	\$	EA		
TORP	"Torpedo" Splice	\$	EA		
ACORN	Acorn	\$	EA		
WEDGE	Wedge For Acorn	\$	EA		
DLN	Delineator / Reflective Object Marker - <i>Specify Yellow or White</i>	\$	EA		
CBL-PRE	Pre-stretched Cable (3/4" Guardrail Cable) *[See Note 1]	\$	LF		
EXCL-CAP	Excluder Cap - Post Base	\$	EA		
CAP	Post Cap Sleeve - Post Top	\$	EA		
T-MTR	Tension Meter with Case *[ See Note 2]	\$	EA		
TRAINING	Installation and Repair Training *[ See Note 3] <b>Call for details</b>				
<b>NOTE-1</b>	Cable sold as a complete 2000' spool only (unless remnant pieces are available)	<b>PARTS TOTAL</b>			
<b>NOTE-2</b>	Gibraltar Global recommends that the tension of the cables be checked after every repair	<b>SHIPPING &amp; HANDLING</b>			
<b>NOTE-3</b>	We recommend that ALL contractors installing or repairing our systems be trained and certified by Gibraltar Global * Please call for more information	<b>ORDER TOTAL</b>			



**TO ORDER REPLACEMENT PARTS, CONTACT:**

Gibraltar Global LLC  
 1208 Houston Clinton DR  
 Burnet, TX 78611

Toll Free: (833) 715-0810 Office: (512) 715-0808  
 Email: [ORDERS@gibraltarglobal.com](mailto:ORDERS@gibraltarglobal.com) Fax: (512) 715-0811

**SYSTEM TYPE : MISC PARTS**

PART #	ITEM / DESCRIPTION	PRICE	UNIT	QUANTITY	EXTENDED AMT
<b>FITTINGS</b>					
ATF 3/4" Nut	NUT- 3/4" HDG	\$	EA		
ATF 3/4" Rod	3/4" x18" RH/RH Thread Rod	\$	EA		
ATF-WSH -7/8"	7/8" Washer FITS ATF-3/4" and ATF-7/8"	\$	EA		
ATF-1" Nut	1" Hex Nut for Threaded Rod	\$	EA		
ATF-1" Nut MILLED	1 Inch Hvy Hex Nut Milled for 3/4" AP	\$	EA		
ATF-1" ROD MILLED	1" x 18" RH/LH Thread Rod MILLED TO 3/4"	\$	EA		
ATF-1" Rod	1" x 18" RHLH Thread Rod	\$	EA		
ATF-1" WSH	Washer for ATF-1"	\$	EA		
CSTB-1" Closed Body	CSTB 1" CB Body Turnbuckle ONLY	\$	EA		
CSTB-1" Open Body	CSTB 1" Open Body Turnbuckle ONLY	\$	EA		
CSTB-3/4" Open Body	CSTB 3/4" Open Body Turnbuckle ONLY	\$	EA		
CSTB-1" Rod	13" x 1" Rod-Advise Thread Needed-RH/RH or RH/LH	\$	EA		
CSTB-3/4" Rod	13" x 3/4" Rod-Advise Thread Needed - RH/RH or RH/LH	\$	EA		
CSTB-1" CB	CSTB 1" complete with CLOSED Body	\$	EA		
Acorn Nut 1"	1" Hex Nut for T1" Hex Nut for Threaded Rod	\$	EA		
Acorn Nut 3/4"	NUT- 3/4" HDG	\$	EA		
J-BLT WASHER	3/4" FLAT WASHER	\$	EA		
J-BLT NUT	NUT- 3/4" HDG	\$	EA		
<b>POSTS</b>					
3-BPP-33	Base Plate Post / Surface Mount (33")	\$	EA		
4-BPP-42	Base Plate Post / Surface Mount (42")	\$	EA		
BPP-72	Base Plate Post / Low Fill (72")	\$	EA		
<b>ANCHOR POST REPAIR</b>					
AP-B	PLATE 1/2" X 10" X 11"	\$	EA		
AP-C	PLATE 1/2" X 2 1/4" X 4"	\$	EA		
AP-D	PLATE 1 1/4" X 2 1/4" X 4" Block with drilled holes	\$	EA		
AP-E	PLATE 1/2" X 1 3/4" X 2"	\$	EA		
AP-F	PLATE 3/4" X 1 1/4" X 8"	\$	EA		
<b>TUBE D WITH SOIL PLATES</b>					
TUBE-D-SP	42" Driven Socket with 8"x 24" Soil Plate	\$	EA		
TUBE-D-SP-30	30" Driven Socket with 12" x 24" Soil Plate when driving in rock	\$	EA		
TUBE-D-SP-60	60" Driven Socket with 12" x 48" Soil Plate	\$	EA		
TUBE-D-2SP-60	60" Driven Socket with 2 soil plates 12" x 48" & 6" x 48"	\$	EA		
TUBE-D-SP-72	72" Driven Socket with 12" x 48" Soil Plate	\$	EA		
TUBE-D-54SP-72	72" Driven Socket with 12" x 54" Soil Plate	\$	EA		
<b>SWEDGED SYSTEM PARTS</b>					
RH STUD ATF ASSY	RH 1" STUD FOR SWAGING WITH WASHER AND NUT	\$	EA		
RH STUD MILLED ASSY	RH 1" MILLED STUD FOR SWAGING WITH WASHER AND NUT FOR 3/4" AP	\$	EA		
RH/LH SWAGE ASSY	CLOSED BODY CSTB FOR SWAGING	\$	EA		
STUD LH	Stud for swaging - Left Hand Overall length 17.51"	\$	EA		
STUD RH	Stud for swaging - Right Hand Overall length 17.51"	\$	EA		
WEDGE LOCK	Cable End Wedge Fitting - 13"x1" RH/RH Rod and Acorn with Nuts	\$	EA		
<b>OTHER ITEMS</b>					
Cable Grip	Cable Grip - Parallell Jaw Grips - 7500 lbs U shaped with grooves	\$	EA		
Cable Grip 10,000	Cable Grip - Parallell Jaw Grips - 10,000 lbs V shaped	\$	EA		
Chain Hoist 3T	3T on Chain Hoist	\$	EA		
Chain Hoist 6T	6T on Chain Hoist	\$	EA		
Infrared Therm	Infrared Thermometer - (0 to 750 F)	\$	EA		
Infrared Them-WR	Infrared Thermometer - Wide Range - (-76 to 932 F)	\$	EA		
TRAINING	Installation and Repair Training *[See Note 3]	<b>CALL FOR DETAILS</b>			
<b>NOTES:</b>		<b>PARTS TOTAL</b>			
		<b>SHIPPING &amp; HANDLING</b>			
		<b>ORDER TOTAL</b>			